



सुविधा

Suvidha Complex with Hybrid DEWATS™

for N-Ward, Ghatkopar, Mumbai, India

PROJECT BRIEF

Hindustan Unilever Limited (HUL) setup a Suvidha center in a slum located at N-Ward, Ghatkopar, Mumbai. Suvidha is a first-of-its-kind urban community hygiene and sanitation facility that was established to help supplement the efforts of the government and to ensure that clean toilets, affordable drinking water, and state-of-the-art laundry services are available to urban low-income households in Mumbai.

The facility has been designed to treat 25 KLD of blackwater and 5 KLD of greywater per day i.e. wastewater generated from ~1,800 users per day. The wastewater generated is collected and treated through a decentralised wastewater treatment system (DEWATSTM). The treated wastewater will be reused for toilet flushing and the surplus will be discharged into the nearby sewer line.

PROJECT OUTCOMES

1. Minimal area required for the system
2. Meets discharge standards set by State Pollution Control Board (SPCB), Maharashtra
3. Considering the limited availability of skilled workforce to supervise and operate the system, the system has been automated to ease operations

MODULES ADOPTED

Primary and secondary treatment – Underground modules

Settler Volume: 23.1 m ³ Area: 16 m ²	Anaerobic Baffled Reactor Volume: 27.4 m ³ Area: 18 m ² No. of chambers: 3	Anaerobic Filter Volume: 25.8 m ³ Area: 22 m ² No. of chambers: 2	Equalization Tank Volume: 26 m ³ Area: 20 m ² Flowrate: 2.5 m ³ /hour
Aeration tank Volume: 5 m ³ Area: 2.5 m ²	Settling tank Volume: 5 m ³ Area: 2.5 m ² Dosing: Alum	Filter feed tank Volume: 3 m ³ Area: 2 m ²	Sand and Carbon filters Diameter: 0.6 meters Flowrate: 2.5 m ² Dosing: Sodium Hypo

SALIENT FEATURES

Source: Washing machine, public toilet, urinals, washbasin

Design Capacity: 30 m³/d

No. of users: 1,800

Peak Flow: 10 hours

Influent quality:

BOD: 950 mg/l

COD: 1900 mg/l

Effluent Quality: After tertiary treatment

BOD: 10 mg/l

COD: 50 mg/l

Efficiency: 98.9%

PROJECT SPECIFICATIONS

Funding Agency: Hindustan Unilever

Implementing Agency: CDD Society

Construction Cost: Rs. 40 lakhs

Construction Period: 6 months

Start of Operation: October 2021


Current Status: Commissioned & operational

Built up area: 76 m² underground + 10 m² rooftop

Area per beneficiary: 0.0477 m²

CapEx per beneficiary: Rs. 2,222

OpEx per beneficiary: Rs. 22



LEGEND - UNDERGROUND MODULES	
ABR	Anaerobic Baffle Reactor
AF	Anaerobic Filter
DC	Distribution Chamber
DEWATS™	Decentralized Wastewater Treatment System
FM	Filter Media
SCT	Secondary Collection Tank

LEGEND - ROOF BASED MODULES	
ALDP	Alum Dosing Pump
AT	Aeration Tank
CLDP	Chlorine Dosing Pump
FFT	Filter Feed Tank
FWT	Flush Water Tank
SCAF	Sand & Activated Carbon Filter
ST	Settling Tank
TTP	Tertiary Treatment Plant



Consortium for
DEWATS
Dissemination
Society

Follow us:

/CDDsociety

/consortium-for-dewats-dissemination-society

Consortium for DEWATS Dissemination Society | Bangalore

Survey No.205 (Opp. Beedi Workers Colony),
Kommaghatta Road, Bandemath Kengeri Satellite Town,
Bangalore 560 060, Karnataka, India.

+91-80-28486700

bangalore@cddindia.org



सुविधा

Suvidha Complex with Hybrid DEWATS™

for N-Ward, Ghatkopar, Mumbai, India

PROJECT BRIEF

Hindustan Unilever Limited (HUL) setup a Suvidha center in a slum located at N-Ward, Ghatkopar, Mumbai. Suvidha is a first-of-its-kind urban community hygiene and sanitation facility that was established to help supplement the efforts of the government and to ensure that clean toilets, affordable drinking water, and state-of-the-art laundry services are available to urban low-income households in Mumbai.

The facility has been designed to treat 25 KLD of blackwater and 5 KLD of greywater per day i.e. wastewater generated from ~1,800 users per day. The wastewater generated is collected and treated through a decentralised wastewater treatment system (DEWATSTM). The treated wastewater will be reused for toilet flushing and the surplus will be discharged into the nearby sewer line.

PROJECT OUTCOMES

1. Minimal area required for the system
2. Meets discharge standards set by State Pollution Control Board (SPCB), Maharashtra
3. Considering the limited availability of skilled workforce to supervise and operate the system, the system has been automated to ease operations

SALIENT FEATURES

Source: Washing machine, public toilet, urinals, washbasin

Design Capacity: 30 m³/d

No. of users: 1,800

Peak Flow: 10 hours

Influent quality:

BOD: 950 mg/l

COD: 1900 mg/l

Effluent Quality: After tertiary treatment

BOD: 10 mg/l

COD: 50 mg/l

Efficiency: 98.9%

PROJECT SPECIFICATIONS

Funding Agency: Hindustan Unilever

Implementing Agency: CDD Society

Construction Cost: Rs. 40 lakhs

Construction Period: 6 months

Start of Operation: October 2021

Current Status: Commissioned & operational

Built up area: 76 m² underground + 10 m² rooftop

Area per beneficiary: 0.0477 m²

CapEx per beneficiary: Rs. 2,222


OpEx per beneficiary: Rs. 22

MODULES ADOPTED


Primary and secondary treatment – Underground modules

Settler Volume: 23.1 m ³ Area: 16 m ²	Anaerobic Baffled Reactor Volume: 27.4 m ³ Area: 18 m ² No. of chambers: 3	Anaerobic Filter Volume: 25.8 m ³ Area: 22 m ² No. of chambers: 2	Equalization Tank Volume: 26 m ³ Area: 20 m ² Flowrate: 2.5 m ³ /hour
--	--	---	--

Aeration tank Volume: 5 m ³ Area: 2.5 m ²	Settling tank Volume: 5 m ³ Area: 2.5 m ² Dosing: Alum	Filter feed tank Volume: 3 m ³ Area: 2 m ²	Sand and Carbon filters Diameter: 0.6 meters Flowrate: 2.5 m ² Dosing: Sodium Hypo
--	--	---	---



Roof based modules



Underground modules

LEGEND - UNDERGROUND MODULES	
ABR	Anaerobic Baffle Reactor
AF	Anaerobic Filter
DC	Distribution Chamber
DEWATS™	Decentralized Wastewater Treatment System
FM	Filter Media
SCT	Secondary Collection Tank

LEGEND - ROOF BASED MODULES	
ALDP	Alum Dosing Pump
AT	Aeration Tank
CLDP	Chlorine Dosing Pump
FFT	Filter Feed Tank
FWT	Flush Water Tank
SCAF	Sand & Activated Carbon Filter
ST	Settling Tank
TTP	Tertiary Treatment Plant



Consortium for
DEWATS
Dissemination
Society

Follow us:

/CDDsociety

/consortium-for-dewats-dissemination-society

Consortium for DEWATS Dissemination Society | Bangalore

Survey No.205 (Opp. Beedi Workers Colony),
Kommaghatta Road, Bandemath Kengeri Satellite Town,
Bangalore 560 060, Karnataka, India.

+91-80-28486700


bangalore@cddindia.org

MODULES ADOPTED


Primary and secondary treatment – Underground modules

Settler Volume: 23.1 m ³ Area: 16 m ²	Anaerobic Baffled Reactor Volume: 27.4 m ³ Area: 18 m ² No. of chambers: 3	Anaerobic Filter Volume: 25.8 m ³ Area: 22 m ² No. of chambers: 2	Equalization Tank Volume: 26 m ³ Area: 20 m ² Flowrate: 2.5 m ³ /hour
--	--	---	--

Aeration tank Volume: 5 m ³ Area: 2.5 m ²	Settling tank Volume: 5 m ³ Area: 2.5 m ² Dosing: Alum	Filter feed tank Volume: 3 m ³ Area: 2 m ²	Sand and Carbon filters Diameter: 0.6 meters Flowrate: 2.5 m ² Dosing: Sodium Hypo
--	--	---	---



Roof based modules



Underground modules

LEGEND - UNDERGROUND MODULES	
ABR	Anaerobic Baffle Reactor
AF	Anaerobic Filter
DC	Distribution Chamber
DEWATS™	Decentralized Wastewater Treatment System
FM	Filter Media
SCT	Secondary Collection Tank

LEGEND - ROOF BASED MODULES	
ALDP	Alum Dosing Pump
AT	Aeration Tank
CLDP	Chlorine Dosing Pump
FFT	Filter Feed Tank
FWT	Flush Water Tank
SCAF	Sand & Activated Carbon Filter
ST	Settling Tank
TTP	Tertiary Treatment Plant



Consortium for
DEWATS
Dissemination
Society

Follow us:

/CDDsociety

/consortium-for-dewats-dissemination-society

Consortium for DEWATS Dissemination Society | Bangalore

Survey No.205 (Opp. Beedi Workers Colony),
Kommaghatta Road, Bandemath Kengeri Satellite Town,
Bangalore 560 060, Karnataka, India.

+91-80-28486700

bangalore@cddindia.org